

Coastal AgroBusiness, Inc.



Product Label

Foam-Eater

Agricultural Foam Control

Principle Functioning Agent:	
Dimethylpolysiloxane	10%
Inert Ingredients	90%
Total	<hr/> 100%

All ingredients are exempt from tolerance requirements under 40 CFR 180.1001(d)

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read entire label for additional precautionary statements.

Manufactured By:
Coastal AgroBusiness, Inc
Greenville, North Carolina

Foam-Eater is a proprietary silicone antifoam emulsion designed for prevention and/or suppression of foam formation in aqueous solutions. The functional properties include quick dispersibility, slight insolubility, relative stability, and spreadability in ionic solutions.

Foam-Eater is very aggressive in agricultural pesticide tank mixes. All emulsifiers used in this formulation are non-ionic, offering superior uniformity and compatibility. This product cannot be used for aquatic applications.

NOTE: Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

READ ENTIRE LABEL BEFORE USING

CAUTION: Use only as directed. Harmful if swallowed or inhaled. Avoid breathing vapors or spray mists. Liquid contact with eyes or skin can cause irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. Do not induce vomiting except by physician's order. If vomiting is inevitable, prevent aspiration by keeping victim's head below the knees. Never induce vomiting or give anything by mouth to an unconscious person.

If in Eyes: Immediately flush eyes with plenty of water for at least fifteen minutes, holding eyelids apart to ensure flushing of the entire eye surface. Seek medical attention if irritation persists.

If on Skin: Remove contaminated clothing and wash with large amounts of soap and water. If irritation develops, contact a physician.

NOTE: If contact is made with the spray solution containing pesticides, follow the "Statement of Practical Treatment" on the pesticide label.

STORAGE AND DISPOSAL

Store in a cool dry place. Keep from freezing. Do not reuse empty container. Dispose of container in a safe manner in accordance with federal, state and local regulations.

Notice: Buyer assumes all risk of handling or use of this product whether in accordance with the directions or not. Neither manufacturer nor the seller makes any representation or warranty whether expressed or implied for the results from the use of this product.

DIRECTIONS FOR USE

Add Foam-Eater to spray liquid before foam starts to appear. This gives best foam control. If foam has already started to build, add Foam-Eater directly to the foam. The use of 1 to 4 ounces of Foam-Eater per 100 gallons of spray mixture is generally sufficient to suppress or eliminate foam from most conventional spray tanks. Agitation will aid dispersion.

WARRANTY

COASTAL AgroBusiness warrants that this product, when used as directed and in accordance with sound agricultural practices, is reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. Coastal AgroBusiness makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Coastal AgroBusiness, Inc. In no event shall Coastal AgroBusiness liability for any breach of warranty exceed the purchase price of the product to which a claim is made.