

Coastal AgroBusiness, Inc.



Product Label



ACTIVE INGREDIENTS (BY WEIGHT):	
Nonionic and Anionic Surfactants, Fatty Alcohol and butoxyethanol	35%
Alcohols, Conditioners, and Constituents Ineffective as an Adjuvant	65%
Total	<hr/> 100%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read entire label for additional precautionary statements.

Manufactured By:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

FOAM MARKER is a unique blend of foaming surfactants, sequestering agents and additives which produce a highly stable and durable foam. This blend of special agents allows it to perform in foam marking applications where hard water or adverse weather conditions might exist. The rich foam produced by FOAM MARKER is highly visible and aids in reducing over-applications of pesticides or fertilizers. FOAMMARKER also contains optical brighteners for added brilliance and visibility.

PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS

Caution: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. Read the entire label before using this product.

STATEMENT OF PRACTICAL TREATMENT

Caution: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. Read the entire label before using this product.

STORAGE AND DISPOSAL

For optimum storage stability, store at temperatures between 40 and 90 degrees Fahrenheit. Avoid contact with eyes and skin. Do not store near oxidizing agents. Do not allow to freeze.

Container Disposal: Triple rinse or equivalent and add rinsate to spray tank, then offer for recycling, reconditioning, or puncture and dispose of according to state and local authorities. If burned, stay out of smoke.

AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

Eye protection and waterproof gloves are recommended when handling this product.

DIRECTIONS FOR USE – APPLICATION RATES

IMPORTANT: It is recommended that water temperatures not exceed 80 degrees Fahrenheit or drop below 25 degrees Fahrenheit when applying a foam concentrate.

FOAM MARKER can be used at dilutions which range from 80 : 1 to 120 : 1. The standard usage rate in most conditions will be 100 : 1 or 1 gallon (128 fluid ounces) of FOAM MARKER per 100 gallons of water when water hardness is between 300 and 1000 ppm. Under conditions where soft water exists, a rate of 160 : 1 may be used or 0.625 gallons (80 fluid ounces) of FOAM MARKER per 100 gallons of water. Under extreme water hardness conditions, a rate of 80 : 1 or 1.25 gallons (160 fluid ounces) per 100 gallons may be required.

Note: If foam is runny, add additional FOAM MARKER until foam reaches optimum consistency. If foam consistency is too thick dilute mixture further with water.

WARRANTY

COASTAL AgroBusiness warrants that this product, when used as directed and in accordance with sound agricultural practices, is reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. Coastal Chemical makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Coastal Chemical Corporation. In no event shall Coastal Chemical Corporation's liability for any breach of warranty exceed the purchase price of the product to which a claim is made.