## Safety Data Sheet

# Quantum <sub>SDS</sub> 18-0-8-5S

## **1. PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME:

Quantum SDS 18-08-8-5S

CHEMICAL NAME: KTS, urea, urea triazone

CHEMICAL FAMILY: Aqueous Organic Salt Solution

EPA REGISTRATION NUMBER: Not applicable

Formulated by: Coastal AgroBusiness Inc. PO Box 856 Greenville, NC 27835 Phone: 1-800-635-1388

## Emergency Telephone Numbers

Chemtrec (24 hours) 1-800-424-9300 Coastal AgroBusiness, Inc. (Weekdays – Eastern Standard Time) 1-800-635-1388

## 2. HAZARDS IDENTIFICATION SUMMARY

**KEEP OUT OF REACH OF CHILDREN – CAUTION-** Contact with eyes by product mist or solution may cause irritation or a burning sensation. This blended liquid fertilizer product is derived from Urea, Urea-Triazone Solution, and Potassium Thiosulfate. Prolonged or repeated skin contact with product mist or solution may cause skin irritation. Skin absorption is unlikely to occur. Ingestion of product solution may cause irritation of the gastrointestinal tract to include nausea, vomiting and diarrhea. Inhalation of product mist may cause irritation of the nose, throat, and respiratory tract. Excessive heating may cause ammonia gas to evolve.

This product is a clear, light blue liquid with slight amine odor. Primary routes of entry are Inhalation, eye contact and skin contact.

#### EMERGENCY OVERVIEW

Hazard Statements

H303 – May be harmful if swallowed

#### GHS Label elements, including precautionary statements/

#### **Precautionary Statements - Prevention**

- P102 Keep out of reach of children
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor





SDS Number: 29150 SDS Prepared: 04/06/2012 SDS Version: 2.1 Version Date: 12/01/2016

#### P330 - Rinse mouth

**Precautionary Statements - Disposal** 

P501 - Dispose of contents/ container to an approved waste disposal sites

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Ingredients:	<u>Percentage by</u> Weight:	<u>CAS No.</u>	<u>TLV (units)</u>
Potassium Thiosulfate	*	10294-66-3	Not established
Urea		57-13-6	Not established

\*Quantum 18-0-8-5S is a proprietary blend of Urea, Triazone, Urea, and Potassium Thiosulfate solution.

Note: This material is not hazardous under Labor Department regulations.

#### 4. FIRST AID MEASURES

- **EYES;** Immediately flush with large quantities of water for 15 minutes. Hold eyelids apart during irrigation to insure thorough flushing of the entire area of eye and lids. Obtain immediate medical attention.
- **SKIN:** Immediately flush with large quantities of water. Remove contaminated clothing under a safety shower. Obtain immediate medical attention.
- **INGESTION:** If victim is conscious, give 2 to 4 glasses of water and induce vomiting by touching finger to back of throat. Obtain immediate medical attention.
- **INHALATION:** Remove victim from contaminated atmosphere. If breathing is labored, administer oxygen. If breathing has ceased, clear airway and start mouth-to-mouth resuscitation. If heart has stopped beating, external heart massage should be applied. Obtain immediate medical attention.

#### **5. FIRE FIGHTING MEASURES**

FLASH POINT (°F/Test Method):	Not applicable
FLAMMABLE LIMITS (LFL & UFL):	Not applicable
EXTINGUISHING MEDIA:	Considered non-combustible, use medium appropriate to surrounding fire. Dry chemical, carbon dioxide, foam, water spray or fog.
HAZARDOUS COMBUSTION	Heating to dryness may cause the release of ammonia and carbon
PRODUCTS:	dioxide. This ammonia, NH3, may form flammable mixtures (16-25%) with air.
SPECIAL FIRE FIGHTING	Keep containers/storage vessels in the fire area cooled with water
PROCEDURES:	spray. Intense heating may cause the release of ammonia vapors.
	Remain upwind. Avoid breathing smoke. Wear self-contained
	breathing apparatus and full protective gear.
UNUSUAL FIRE AND EXPLOSION	Intense heating may cause the release of ammonia vapors.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

#### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

**Small releases:** Confine and absorb small release on sand, earth, or other inert absorbent. Use water spray to dilute to weak fertilizer solution and transfer to suitable containers for possible land application according to label use or for disposal.

**Large releases**: Confine area to qualified personnel. Shut off release if safe to do so. Dike the spill area to prevent runoff into sewers, drains or surface waterways (potential aquatic toxicity). Recover as much material as possible. Treat remaining material as a small release. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

#### 7. HANDLING AND STORAGE

- **HANDLING:** Avoid contact with eyes. Use only in a well-ventilated area. Wash thoroughly after handling. Avoid prolonged or repeated breathing of vapors. Avoid prolonged or repeated contact with skin.
- **STORAGE:** Store in well-ventilated areas. Do not store combustibles in the area of storage vessels. Keep away from sources of heat or flame. Store totes and smaller containers out of direct sunlight at moderate temperatures less than 105°F/40.5°C but greater than 0°F/-17.8°C.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THRESHOLD LIMIT VALUE: PERMISSIBLE EXPOSURE LIMIT: SIGNS AND SYMPTOMS OF EXPOSURE:	No ACGIH TVL No OSHA PEL Ingestion of product may cause irritation of the gastrointestinal tract to include nausea, vomiting, and diarrhea. Material considered having low toxicity to humans. Prolonged or repeated contact with product may cause skin irritation. Contact with eyes may cause irritation.
MEDICAL CONDITIONS	None known
GENERALLY AGGRAVATED BY EXPOSURE:	
PRIMARY ROUTES OF ENTRY:	May be harmful if vapor/mist is inhaled at high concentration. No specific data available for ingestion. Moderate eye irritant. Mild skin irritant.
ENGINEERING CONTROLS:	Use adequate exhaust ventilation to prevent inhalation of product vapors.
RESPIRATORY PROTECTION:	None normally required. If conditions exist where mist may be generated, a NIOSH/MSHA approved mist respirator should be worn.
EYE PROTECTION:	Chemical goggles and a full face shield. DO NOT WEAR CONTACT LENSES.
SKIN PROTECTION:	Neoprene rubber gloves and apron should be worn to prevent repeated or prolonged contact with the liquid. Wash contaminated clothing prior to reuse.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANC	E AND COLOR:	Clea
SPECIFIC GF	RAVITY: (Water=1):	1.34
VAPOR PRE	SSURE:	Not
PERCENT VO	DLATILE (by volume):	Not
<b>BULK DENSI</b>	TY:	Not
<b>BOILING PO</b>	NT:	Not
<b>EVAPORATIO</b>	ON RATE:	Not
SOLUBILITY	:	Com
pH:		9 - 1
Note:	These physical data are	typica

Clear, light blue liquid with slight odor 1.34 g/ml Not established Not applicable Not established Not established Not established Complete 9 - 10

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### **10. STABILITY AND REACTIVITY**

STABILITY: CONDITIONS TO AVOID: INCOMPATIBILITY: Stable Avoid excessive heat Strong oxidizers such as nitrates. nitrites or chlorates can cause explosive mixtures if heated to dryness. Avoid contact with acids or acid materials. This product may not be compatible with copper, zinc or their alloys (bronze, brass, galvanized materials). These materials of construction should not be used in piping, handling systems or storage containers for this product.

#### HAZARDOUS DECOMPOSITION **PRODUCTS:**

Heating to dryness may cause the release of ammonia and carbon dioxide. This ammonia, NH3, may form flammable mixtures (16-25%) with air. Will not occur

HAZARDOUS POLYMERIZATION:

## 11. TOXICOLOGICAL INFORMATION

ACUTE ORAL LD<sub>50</sub>: **EYE IRRITATION: INHALATION LC50: CARCINOGENETIC POTENTIAL:** ACUTE DERMAL LD<sub>50</sub>: SKIN IRRITATION/SENSITIZATION: Not established May cause irritation Not established None listed in OSHA, NTP, IARC or ACGIH Not established May cause irritation

#### **12. ECOLOGICAL INFORMATION**

No data available

## **13. DISPOSAL CONSIDERATIONS**

Do not reuse container. Place in trash or offer for recycling. Incinerate contaminated solids in accordance with local, state, and federal regulations.

## **14. TRANSPORTATION INFORMATION**

**D.O.T. Shipping Description:** U.S. Surface Freight Classification: NOT REGULATED BY DOT BY HIGHWAY. FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; LIQUID (NMFC 68140, SUB 6; CLASS 70)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

#### 15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:	<b>NFPA</b> 1 Health 0 Flammability 0 Reactivity	HMIS 1 Health 0 Flammability 0 Reactivity H PPE
SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate: <u>Y</u> Delayed: <u>N</u>	Fire: <u>N</u> Reactive: <u>N</u>
Reportable Quantity (RQ) under U.S. CERCLA:	Sudden Release of Pressure: Not listed	<u>N</u>
SARA, Title III, Section 313:	Not listed	
RCRA Waste Code:	Not listed	
CA Proposition 65:	Not listed	
16. OTHER INFORMATION		

SDS STATUS: **REASON FOR CHANGE: PREPARED BY:** 

> Updated Added GHS statements Tandy O. Dunn, Director of Health, Safety & Environmental Affairs

Disclaimer and Limitation of Liability: This data sheet was developed from information on the

constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Coastal AgroBusiness, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

